V-02HDMULTI-FORMAT VIDEO MIXER

proav.roland.com/global/products/v-02hd/features



The video production problem-solver

Switcher Scaler Input Expander				
Scaler Video Composition Input Expander Audio Solution	Switcher		J / Vic	leo effects
	Scaler			Composition
	Input Expander			dio Solution

Switcher, scaler, expander - with audio processing and video effects

Events or productions often bring serious challenges that are easily solved — if you have the right equipment. Roland's versatile V-02HD multi-format video mixer replaces several standalone units; a simple switcher, high-quality scaler, input expander, audio solution and inline video effects / composition. Save on space and headaches by packing a V-02HD; the portable-yet-powerful device that lets you concentrate on producing your event or shooting your scenes, rather than trouble-shooting your gear.



Pack in your case, just in case

The V-02HD is a 'micro switcher' that's small enough to fit into equipment cases and camera bags. Designed to integrate with typical video production workflows, the V-02HD has a screw tap for standard video mounts and conveniently attaches onto a tripod to stay out of the way. Its lightweight design makes it ideal for mobile video applications too, especially when hooked up to third-party battery packs for longer location-based shoots.

Multi-application, one solution



Dual camera / single operator productions

Small production crews, limited budgets and tight delivery deadlines mean that a simple two camera shoot can be stressful — even for experienced operators. Recording or streaming with a live switcher onsite lets you present the client with an immediate

deliverable and the V-02HD makes the entire process fast, easy and fluid for the camera operator.



The V-02HD takes the HDMI output from two cameras and seamlessly switches to a connected recorder or livestreaming encoder. The operator can then switch between cameras using the dedicated controls or even by using their feet, via a connected footswitch that lets them continue operating their camera. Audio from both cameras and external sources can be mixed together within the V-02HD and monitored through dedicated headphone output. Finally, the resulting mix is embedded with the video switch and output over HDMI. The V-02HD transforms a two-camera shoot into a small one-person production studio, for reliable recording or live-streaming even with minimal resources.



Simple, seamless switching

Switching sources in a small presentation can be a pain, whether it's signal loss to the main display or the computer's inability to handle unexpected input signals. The V-02HD ensures

a professional cross-dissolve switchover between computers and screens, maintaining hires 'pixel-accurate' display resolution with deep 10-bit 4:4:4 color space. With simple twobutton operation, anyone can pull off professional switching of multiple sources, even if using the V-02HD for the first time.



The input/output matchmaker

Having two HDMI-equipped devices doesn't mean they're compatible, especially when it comes to video signals in a variety of resolutions — for example, a tablet's output may not display properly on the receiving display. With both input and output scalers, the V-02HD can take SD, HD, and computer resolutions, before resizing them to fit the display and then outputting in a new resolution that's compatible with the receiving device.



To embed or de-embed? Why not both?

The V-02HD not only lets you embed analog audio into an HDMI signal – for recording or live streaming – but you can also extract the audio from an HDMI signal to send over to a

larger dedicated audio mixer. Where many converters only support digital audio, or offer either embedding or de-embedding (and not both), the V-02HD lets you do it all.



Onboard toolkit for fixing your audio

The V-02HD has three-band EQ and dynamics onboard, so you can immediately optimize your audio without having to send to an external mixing desk. A built-in effects library is packed with presets for common production scenarios including interviews, ambient sound recording, and eliminating wind noise when filming outdoors. These tools even work with inline HDMI signals, so you can fix your audio issues without leaving the digital domain.



When you just need one more input

It's frustrating when your switcher needs one more input and you're all out of options. With two extremely low latency inputs, the V-02HD provides that prized additional connection without adding any perceptible delay to your camera inputs. And with high-resolution 10-bit 4:4:4 color space, there's no signal degradation either.